

FUTURE GENERATION NATIVES SPECIES LIST

Legend pot size

- T = Tube 50mm diameter x 120mm deep with root trainers
 LT = Extra large tube 70mmx 160mm deep with root trainers
 140 = 140mm diameter pot with root trainers
 200 = 200mm diameter pot with root trainers
 300 = 300mm diameter pot with root trainers
 CT= 56 cell tray
 8RP = 8 litre rocket pots with root trainers
 23RP =23 litre rocket pot with root trainers
 32RP = 32 litre rocket pot with root trainers
 PB = 20 litre plastic bag

Botanical name	Common name	Tube/Pot size
Acacia		
<i>acinacea</i>	round-leaved wattle	T
<i>melanoxydon</i>	blackwood	T, 200
<i>myrtifolia</i>	myrtle wattle	T
<i>paradoxa</i>	kangaroo thorn	T
<i>pycnantha</i>	golden wattle	T
<i>retinodes</i>	wirilda	T
<i>verticillata</i>	prickly moses	T
<i>verniciiflua</i>	varnish wattle	T
Acaena		
<i>echinata</i>	sheep's burr	T
<i>novae-zelandiae</i>	biddy-biddy	T
Allocasuarina		
<i>muelleriana</i>	slaty sheoak	T
<i>verticillata</i>	drooping sheoak	T
Arthropodium		
<i>strictum</i>	vanilla lilly	T
Astroloma		
<i>humifusum</i>	native cranberry	T
Austrodanthonia		
<i>caespitosa</i>	common wallaby-grass	T
Austrostipa		
<i>nodosa</i>	tall spear-grass	T
Banksia		
<i>marginata</i>	silver banksia	T, 200
<i>marginata</i> (espalier)	silver banksia	300
Baumea		
<i>juncea</i>	bare twiggy rush	140
<i>tetragona</i>	square twiggy sedge	140
Billardiera		
<i>cymosa</i>	sweet apple-berry	T
Brachyscome		
'Break O' Day'	cultivar	140
Brachyloma		
<i>ericoides</i> ssp. <i>ericoides</i>	brush heath	T

Brunonia		
<i>australis</i>	blue pincushion	T
Bulbine		
<i>bulbosa</i>	native leek	T
Bursaria		
<i>spinosa</i>	christmas bush	T
Burchardia		
<i>umbellata</i>	milkmaids	T
Callitris		
<i>gracilis</i>	southern cypress-pine	T, 200
Callistemon		
'Kings Park Special'	cultivar	200
<i>rugulosus</i>	scarlet bottlebrush	T
<i>sieberi</i>	river bottlebrush	T
Calocephalus		
<i>citreus</i>	scaly buttons	T
Calytrix		
<i>tetragona</i>	common fringe-myrtle	T
Carex		
<i>appressa</i>	tall sedge	CT
<i>breviculmis</i>	short-stem sedge	CT
<i>fascicularis</i>	tassel sedge	CT
<i>tereticaulis</i>	rush-sedge	CT
Cheilanthes		
<i>austrotenuifolia</i>	annual rock-fern	140
Chorizandra		
<i>enodis</i>	black bristle-rush	140
Clematis		
<i>decipiens</i>	old man's beard	T
Convolvulus		
<i>angustissimus ssp. angustissimus</i>	Australian bindweed	T
Cryptandra		
<i>tomentosa</i>	heath cryptandra	T
Corymbia		
<i>citriodora</i>	lemon-scented gum	200
<i>ficifolia</i>	WA red flowering gum	200
Cyperus		
<i>vaginatus</i>	flat sedge	56
Daviesia		
<i>leptophylla</i>	bitter-pea	T
<i>ulicifolia</i>	gorse bitter-pea	
Dianella		
<i>longifolia</i> var. <i>grandis</i>	pale flax-lily	140
<i>revoluta</i> var. <i>revoluta</i>	black-anther flax-lily	140
<i>revoluta</i> - Mt Torrens compact form	black-anther flax-lily	140
Dichondra		
<i>repens</i>	kidney weed	T
Dillwynia		
<i>hispida</i>	red parrot-pea	T
Dodonaea		
<i>viscosa</i> ssp. <i>spathulata</i>	sticky hop-bush	T
Eleocharis		
<i>acuta</i>	common spike-rush	140
Eryngium		
<i>rostratum</i>	blue devil	140
Eucalyptus		
<i>camaldulensis</i>	red gum	T

<i>Eucalyptus</i> (cont.)		
<i>cosmophylla</i>	cup gum	T
<i>dalrympleana</i> ssp. <i>dalrympleana</i>	candlebark gum	T
<i>fasciculosa</i>	pink gum	T
<i>leucoxylon</i>	blue gum	T
<i>leucoxylon</i> ssp. <i>megalocarpa</i>	large-fruited SA blue gum	T
<i>obliqua</i>	messmate stringybark	T
<i>viminalis</i>	manna gum	T
<i>Ficinia</i>		
<i>nodosa</i>	knobby club-rush	CT
<i>Gahnia</i>		
<i>sieberiana</i>	red fruited saw- sedge	140
<i>Gonocarpus</i>		
<i>elatus</i>	hills raspwort	T
<i>tetragynus</i>	small-leaf raspwort	T
<i>Goodenia</i>		
<i>geniculata</i>	bent goodenia	LT
<i>blackiana</i>	native primrose	LT
<i>Grevillea</i>		
<i>lavandulacea</i>	lavender grevillea	T, 140
'Winpara Gem'	cultivar	200
'Winpara Gold'	cultivar	200
<i>Hakea</i>		
<i>carinata</i>		T
<i>rostrata</i>	beaked hakea	T
<i>Hardenbergia</i>		
<i>violacea</i>	native lilac	T, 140
<i>Helichrysum</i>		
<i>scorpioides</i>	button everlasting	T
<i>Hybanthus</i>		
<i>floribundus</i>	shrub violet	T
<i>Hydrocotyle</i>		
<i>laxiflora</i>	stinking pennywort	T
<i>Hymenosporum</i>		
<i>flavum</i>	Australian frangipani	200
<i>Isopogon</i>		
<i>ceratophyllus</i>	wild Irishman	LT
<i>Ixodia</i>		
<i>achillaeoides</i> ssp. <i>alata</i>	hill's daisy	T
<i>Juncus</i>		
<i>holoschoenus</i>	jointed-leaved rush	CT
<i>kraussii</i>	sea rush	CT
<i>pallidus</i>	pale rush	CT
<i>usitatus</i>	common rush	CT
<i>Kennedia</i>		
<i>prostrata</i>	running postman	T
<i>Kunzea</i>		
<i>pomifera</i>	muntries	T, 140
<i>Lepidosperma</i>		
<i>curtisiae</i>	little sword-sedge	140
<i>viscidum</i>	sticky sword-sedge	140
<i>Leptospermum</i>		
<i>continentale</i>	prickly tea tree	T
<i>lanigerum</i>	silky tea tree	T
<i>myrsinoides</i>	heath tea tree	T

Lomandra		
<i>densiflora</i>	pointed mat-rush	140
<i>multiflora</i> ssp. <i>dura</i>	stiff Iron-grass	T, 140
Melaleuca		
<i>decussata</i>	totem poles	T
<i>lanceolata</i>	dryland tea-tree	T
Microlaena		
<i>stipoides</i>	weeping rice-grass	T, CP
Microseris		
<i>lanceolata</i>	Yam daisy	T
Nuerachne		
<i>alopeкуроidea</i>	fox-trail mulga grass	T
Pimelea		
<i>linifolia</i>	slender riceflower	T
<i>humilis</i>	small riceflower	T
Platylobium		
<i>obtusangulum</i>	common flat-pea	T
Poa		
<i>labillardieri</i> var <i>labillardieri</i>	tussock-grass	T, CT
Pultenaea		
<i>pedunculata</i>	matted bush-pea	T
<i>daphnoides</i>	large-leaved bush-pea	T
<i>largiflorens</i>	twiggy bush-pea	T
Scavola		
<i>albida</i>	pale fan-flower	T, 140
Olearia		
<i>grandiflora</i>	Mount Lofty daisy-bush	T
<i>ramulosa</i>	twiggy daisy-bush	T
Themeda		
<i>triandra</i>	Kangaroo grass	T
Triglochin		
<i>procerum</i>	water ribbons	140
Westringia		
'Jervis Gem'	cultivar	140
Xanthorrhoea		
<i>australis</i>	grass-tree	PB, RP 8
<i>sempilana</i>	Yakka	T, PB, RP 8,23,32
<i>quadrangulata</i>	Mount Lofty grass-tree	PB, RP 8

The species list details our seasonal range.

If the plants you are seeking are not listed please inquire as we have the propagation capability to produce many other species.